Packagelist

This section covers the following topics:

- Packagelist Maintenance
- Packagelist Retrieval

Packagelist Maintenance

The Packagelist Maintenance Menu is called with the command MAINTAIN PACKAGELIST.

Overview of Functions and Commands

Function	Code	Command
Add a packagelist	A	ADD PACKAGELIST
Copy packagelist	C	COPY PACKAGELIST
Modify packagelist	M	MODIFY PACKAGELIST
Rename packagelist	N	RENAME PACKAGELIST
Purge packagelist	P	PURGE PACKAGELIST
Display packagelist	D	DISPLAY PACKAGELIST
Link children	L	LINK PACKAGELIST <active-association-type>
Edit owners of a packagelist	O	EDIT PACKAGELIST OWNER
Select packagelist from a list	S	SELECT PACKAGELIST
Edit description	W	EDIT PACKAGELIST DESCRIPTION

Parameters

Keyword	Field	Position
ID	Packagelist ID	1
<>	Copy ID	2

Packagelist-specific Maintenance Commands

Packagelist objects are processed using Standard Maintenance Commands.

Packagelist Retrieval

The Packagelist Retrieval Menu is called with the command RETRIEVE PACKAGELIST.

Overview of Functions and Commands

Retrieval Type	Code	Default Output Mode	Command
Packagelists	D	D	DISPLAY PACKAGELIST
		L	LIST PACKAGELIST
		S	SELECT PACKAGELIST
		D	SHOW PACKAGELIST
Dummy/Placeholder packagelist	C	L	DUMMY PACKAGELIST <passive-association-type>
Execute retrieval models	E	T	EXECMODEL PACKAGELIST
Packagelist with parents	B	D	PARENTS PACKAGELIST <passive-association-type>
Packagelist with no parents	O	L	FREE PACKAGELIST ANY | ALL | <passive-association-type>
Packagelist with children	T	D	CHILDREN PACKAGELIST <active-association-type>
Packagelist with no children	U	L	EMPTY PACKAGELIST ANY | ALL | <active-association-type>

Parameters

Keyword	Field	Position
ID	Packagelist ID	1
PARENT	Contained in SY	2
RES	Restrictions	3
OUT	Output options	4
TYPE	Packagelist type	5
MODEL	Model	6
MODE	Output mode	7

Packagelist-specific Retrieval Commands

Packagelist objects are processed with Standard Retrieval Commands.